
PROFESSIONAL PRODUCTS WOOD FLOOR CARE SOLUTION GUIDE







WHERE GREAT FINISHES START

Basic Coatings[®] is the top choice of wood floor professionals who accept nothing but the best. As the originators of water-based floor finishes, Basic Coatings has been fusing the spirit of American ingenuity with a laser focus on excellence to craft professional-grade coatings for over 30 years. In addition to finishes and sealers that lead the industry in durability and performance, our stains, maintenance products, and equipment set new standards for quality across sport, commercial, and residential projects.



PROFESSIONAL GRADE

Our line is meticulously crafted for those who demand the best. Basic Coatings' products are designed with the professional in mind – tough, reliable, and ready to tackle any challenge. With Basic Coatings, you're not just choosing a coating; you're choosing the strength and durability of professional-grade performance that's built to last.



FOCUSED EXPERTISE

We excel where it matters most, and our specialized focus on sealers and finishes enables us to provide the best in these crucial categories. Our commitment to quality over quantity ensures that professionals can trust Basic Coatings to help them deliver elite results where it counts most, on the biggest stages and the most critical projects.



MainStreet"

basic

BASIC COATINGS® WATER-BASED ADVANTAGES

WATER-BASED **TECHNOLOGY**

From initial coat to recoat, thousands of contractors rely on our finishes to stand the test of time no matter the application. Basic Coatings® finishes and sealers are the first step to keeping hardwood floors looking beautiful longer.



FASTER CURE TIMES

When tested against industry-leading finishes, StreetShoe® NXT outperforms the competition, reaching a 90% full cure in just 24 hours. This means less down time and better hardness.




DURABILITY

Your floor finish should have resistance to abrasion, withstanding scuffing or erosion. To prove better durability, our water-based products were put to the test against competitive water-based and oil modified urethane (OMU) products.










StreetShoe[®] NXT & Competitor Hardness Results

nation is presented based on research conducted by Basic Coatings®'s which we believe to be accurate and objective

Emulsion[®] PRO+ & Competitor Abrasion Resistance Results



conducted by Basic to be accurate and c



WATER-BASED FINISHES AND SEALERS

WATER-BASED FINISH

PureMatte[™] Water-Based Wood Floor Finish

Finish ltem # 550 - 700 sq. ft. per gallon

Item #

ltem #

B1656-4312

B1657-4312

B1657-0512

Finish

Finish

Commercial Satin

Commercial Satin

Commercial Semi-Gloss 4 - 1 Gal. F-Style Bottles

B1658-4312 Commercial Super Matte 4 - 1 Gal. F-Style Bottles

B1692-D612 Commercial Satin

B1655-4312 Commercial Gloss

B1693-D612 Commercial Semi-Gloss 2 - 1 Gal. F-Style Bottles

B1694-D612 Commercial Super Matte 2 - 1 Gal. F-Style Bottles

ltem #	Finish	Size	
1663-4312	Commercial Matte	4 - 1 Gal. F-Style w/ catalyst	



۱

MainStreet™

MainStreet

basic

Water-Based Wood Floor Finish

EasyStreet[™]

EasyStreet

Water-Based Wood Floor Finish

(3)

CONTRACTO

Pr	remium clear, two-component water-based wood floor finish.
	Best in class soil resistance and cleanability

- · Best in class soil resistance and cleanability • 90% cure in 24 hours
- 24-hour pot life
- Lowest sheen available < 5
- · MAS Certified Green® for low emissions

Str	eetShoe [®] NXT		450 - 550 sq. ft. per gallon	ltem #	Finish	Size
Wa	ter-Based Wood Floor Finish		450 - 550 Sq. II. per galloll	B1664-4312	Commercial Gloss	4 - 1 Gal. F-Style w/ cato
				B1664-0512	Commercial Gloss	1 - 5 Gal. Pail w/ cataly
		Premium, two-component water		B1665-4312	Commercial Semi-Gloss	4 - 1 Gal. F-Style w/ cato
StreetShoe		The industry standard for durability 24-hour pot life		B1665-0512	Commercial Semi-Gloss	1 - 5 Gal. Pail w/ cataly
	StreetShoe Mar			B1666-4312	Commercial Satin	4 - 1 Gal. F-Style w/ cato
			2	B1666-0512	Commercial Satin	1 - 5 Gal. Pail w/catal
			emissions B1667	B1667-4312	Commercial Super Matte	4 - 1 Gal. F-Style w/ cato
(B1667-0512	Commercial Super Matte	1 - 5 Gal. Pail w/ cata

High-end clear, 1-component, super self-leveling, water-based urethane wood floor finish.

Ultimate ease-of-application

MAS Certified Green[®] for Low Emissions

• Low odor; low VOC's (less than 165 g/l)

• Dries clear; non-yellowing

Easy to apply

Unlimited pot life

Super-self leveling technology and enhanced defoaming

High-end clear, 1-component water-based wood floor finish.

High build, with excellent abrasion and durability

MAS Certified Green® for low emissions

· Non-yellowing formula, finish will not amber over time

450 - 550 sq. ft. per gallon

550 - 700 sq. ft. per gallon

Finish		Size
Commercial Gloss	; 4	⊊ - 1 Gal. F-Style w/ catalyst
Commercial Gloss	: 1	- 5 Gal. Pail w/ catalyst
Commercial Semi	-Gloss 4	⊊ - 1 Gal. F-Style w/ catalyst
Commercial Semi	-Gloss 1	- 5 Gal. Pail w/ catalyst
Commercial Satin	4	⊊ - 1 Gal. F-Style w/ catalyst
Commercial Satin	1	- 5 Gal. Pail w/ catalyst
Commercial Supe	r Matte 4	⊊ - 1 Gal. F-Style w/ catalyst
Commercial Supe	r Matte 1	- 5 Gal. Pail w/ catalyst

Size

2 - 1 Gal. F-Style Bottles

Size

4 - 1 Gal. F-Style Bottles

4 - 1 Gal. F-Style Bottles

1 - 5 Gal. Pail

Raw Sealer™ Water-Based Wood Floor Sealer

WATER-BASED SEALER

Water-Based Wood Floor Sealer

VersaSeal™

ersaSea

Toned (white), one-component water-based wood floor sealer.

Natural dry look for white oak floors

Enhances natural wood tones

Excellent abrasion (powders)

• Easy to apply

- · Reduces tannin pull and side bonding
- · Wet sealer indicator (during application)

3 🔊

8 🥽

Lock 'N Seal™ Water-Based Wood Floor Sealer

Lock 'N Sea

- Clear, one-component, water-based floor sealer.
- Enhances natural wood tones
- · Reduces tannin pull and side bonding
- Wet sealer indicator (during application)
- Hvdroline® Sealer

Water-Based Wood Floor Sealer

- Clear, one-component water-based wood floor sealer.
- · Non-yellowing formula, will not amber over time
- · Colorless, clear film clarity
- Outstanding durability

Emulsion [®] PRO+		600 - 800 sq. ft. per gallon	ltem #	Finish	Size
Oil/Water Wood Floor Finish and Sealer		000 - 000 34. n. per gallon	B0675-4312	Commercial Gloss	4 - 1 Gal. F-Style Bottles
			B0675-0512	Commercial Gloss	1 - 5 Gal. Pail
A	Advanced, one-component, oil an All-urethane formula Ambering, enhances beauty of Low VOC, low odor Not OMU, non-flammable VOC compliant in US and Cana MAS Certified Green® for low err 	nd water floor finish.	B01620-4312	Commercial Semi-Gloss	4 - 1 Gal. F-Style Bottles
		wood	B01620-0512	Commercial Semi-Gloss	1 - 5 Gal. Pail
Emulsion PRO +		wood	B01619-4312	Commercial Satin	4 - 1 Gal. F-Style Bottles
			B01619-0512	Commercial Satin	1 - 5 Gal. Pail
			B01623-0512	Commercial Super Matte	4 - 1 Gal. F-Style Bottles

450 - 550 sg. ft. per gallon	Item #	Size
450 - 550 sq. n. per gallon	B1691-D612	2 - 1 Gal. F-Style Bottles

Premium, commercial, clear, one-component water-based wood floor sealer.

· Reduces tannin pull, side bonding, and grain raise

(FO FFO on ft not callen	Item #	Size
450 - 550 sq. ft. per gallon	B1680-D612	2 - 1 Gal. F-Style Bottles

500 700 or ft nor collor	Item #	Size	
500 - 700 sq. ft. per gallon	B0661-4312	4 - 1 Gal. F-Style Bottles	

· Ideal for white oak or wood species prone to tannin pull

	ltem #	Size
500 - 700 sq. ft. per gallon		4 - 1 Gal. F-Style Bottles
	B0656-0512	1 - 5 Gal. Pail



SPORTS FLOOR CARE

StreetShoe[®] NXT Water-Based Wood Floor Finish



- High gloss · 24-hour pot life

• Easy water clean up

 Excellent depth of gloss • 24-hour pot life MFMA compliant

GymShoe® Water-Based Wood Floor Finish



Player's Choice[™] One Water-Based Wood Floor Finish

e One				
			~	
Dasic	A COMPANY Completent Table	3		

- Colorless, clear finish clarity Industry leading 1K durability • Excellent chemical and perspiration resistance
 - Easy to maintain
 - MFMA compliant

Emulsion[®] PRO+ Water-Based Wood Floor Finish



- Not OMU, non-flammable
- VOC compliant in US and Can

Water-Based Wood Floor Sealer



- · Non-yellowing formula, will not amber over time
- · Colorless, clear film clarity
- Outstanding durability

SPORTS FLOOR SOLUTIONS

INTRA

With low VOCs, faster dry times, and superior water-based durability, Basic Coatings[®] sports floor collection offers the performance, protection and professional appearance your floors need.



- Advanced, one-component, oil • All-urethane formula Ambering, enhances beauty
- Low VOC, low odor







600	600 - 800 sq. ft. per gallon	Item #	Finish	Size
600	- 800 sq. n. per guilon	B1664-4312	Commercial Gloss	4 - 1 Gal. F-Style w/ catalyst
		B1664-0512	Commercial Gloss	1 - 5 Gal. Pail w/ catalyst
Premium, two-component water-based	sports floor finish.	B1665-4312	Commercial Semi-Gloss	4 - 1 Gal. F-Style w/ catalyst
Fast curing, "Coat Today, Play Tomorro Excellent chemical and scuff resistance		B1665-0512	Commercial Semi-Gloss	1 - 5 Gal. Pail w/ catalyst
Excellent chemical and scutt resistance The industry standard for durability	e	B1666-4312	Commercial Satin	4 - 1 Gal. F-Style w/ catalyst
High gloss		B1666-0512	Commercial Satin	1 - 5 Gal. Pail w/ catalyst
24-hour pot life		B1667-4312	Commercial Super Matte	4 - 1 Gal. F-Style w/ catalyst
MFMA compliant		B1667-0512	Commercial Super Matte	1 - 5 Gal. Pail w/ catalyst

600 - 800 sq. ft. per gallon	Item #	Finish	Size
600 - 800 sq. n. për gallon	B1677-4312	Commercial Gloss	4 - 1 Gal. F-Style w/ catalyst
	B1677-0512	Commercial Gloss	1 - 5 Gal. Pail w/ catalyst

Advanced, two-component water-based sports floor finish.

 Excellent durability; floors look better longer Clear, non-yellowing urethane

	600 - 800 sq. ft. per gallon	ltem #	Finish	Size
	600 - 800 sq. it. për gullori	B1659-4312	Commercial Gloss	4 - 1 Gal. F-Style Bottles
		B1659-0512	Commercial Gloss	1 - 5 Gal. Pail
High-end, one-component, water	-based sports floor finish.		о 	

	600 - 800 sg. ft. per gallon	ltem #	Finish	Size
600 - 800 Sq. It. per gallon		B0675-4312	Commercial Gloss	4 - 1 Gal. F-Style Bottles
		B0675-0512	Commercial Gloss	1 - 5 Gal. Pail
l and water-based floor finish.	B01620-4312	Commercial Semi-Gloss	4 - 1 Gal. F-Style Bottles	
r of wood	B01620-0512	Commercial Semi-Gloss	1 - 5 Gal. Pail	
	B01619-4312	Commercial Satin	4 - 1 Gal. F-Style Bottles	
anada	B01619-0512	Commercial Satin	1 - 5 Gal. Pail	
	B01620-0512	Commercial Super Matte	4 - 1 Gal. F-Style Bottles	

		Size
500 - 700 sq. ft. per gallon	B0656-4312	4 - 1 Gal. F-Style Bottles
	B0656-0512	1 - 5 Gal. Pail

Clear, one-component, water-based wood floor sealer.



PROFESSIONAL EQUIPMENT

FLOOR EQUIPMENT

Dustless Floor Dragon[™] 17" Dustless Floor Machine



Adjustable solution control valve for all types of wood flooring.

- · Reliable, high performance 1.5 hp motor
- · Ergonomic, anti-fatigue handle grips with dual-lever control
- · Heavy duty, triple-planetary, stainless steel gearbox
- Safety lock switch ensures safe operation
- Dust skirt, 16" pad driver, and vacuum hose included
- Sand Dragon[™] 20" **Orbital Sanding Machine**

Non-marking wheels and bumpers assure protection for molding and walls


- maximum durability Ergonomic, anti-vibration handle grips
- Optional dust containment skirt and vacuum port easily connects to any vacuum

Sand Dragon[™] 28" **Orbital Sanding Machine**



Dust Dragon[™]





molding and walls

connects to any vacuum

- 4' crush-proof hose
- Adjustable telescopic wand

10

WOOD FLOOR

EQUIPMENT

needs a full arsenal of tools to

help them get the job done. Basic

Coatings[®] Dragon[™] equipment line

is designed to be powerful and dust

free, economical and industry proven.

In the world of floor care, a contractor

-











2,400 sq. ft. per hour	ltem #	Description	Pad Size
2,400 Sq. n. per nour	EB858-1212	17" Dustless Floor Machine w/ hose	16"

 \cdot $\,$ Non-marking wheels and bumpers assure protection for molding and walls

	ltem #	Description	Pad Size
	EB128-0112	20" Orbital Sander	14" x 20"
	EB128-0107	20" Orbital Sander (CA)	14" x 20"
ades the toughest finish.	EB128-0612	20" Orbital Sander w/ weight kit	14" x 20"

3,400 RPM orbit speed quickly abra

• Reliable, high performance 1.5 hp motor

Solid cast iron base and optional weight systems provide

ltem	#	Description	Pad Size	
EB128-1	12	28" Orbital Sander w/ weight kit	14" x 28"	
EB128-1	07	28" Orbital Sander w/ weight kit (CA)	14" x 28"	

3,400 RPM orbit speed quickly abrades the toughest finish.

• Reliable, high performance 1.5 hp motor

• Non-marking wheels and bumpers assure protection for

Solid cast iron base and optional weight systems provide maximum durability

Ergonomic, anti-vibration handle grips

Optional dust containment skirt and vacuum port easily

ltem #	Description	Capacity
B858-0812	22.5" Back Pack Vacuum w/ wand	5.0 Liters

Ergonomic backrest with comfort breeze straps.



PROFESSIONAL HARDWOOD MAINTENANCE



SYSTEM 2 **CLEAN & REFINISH**

A combination of the Intensive Cleaning step and the quick and easily applied Hardwood

- Scrub with wood floor scrubber and I.F.T.
- Repeat scrub with wood floor scrubber and Squeaky™
- · Tack with microfiber pad and Squeaky

SYSTEM 1

INTENSIVE CLEANING

Aggressively scrubs the flooring to remove

buildup of dirt and contaminants. This can

be done alone or as a routine maintenance

· Scrub with wood floor scrubber and I.F.T.

Floor Refinisher. This system removes dirt from the floor and restores a uniform sheen.

- - and Squeaky
 - microfiber pad

FLOOR MAINTENANCE & SPECIALTY

Squeaky[™] Concentrate Hardwood Floor Cleaner



Commercial hardwood floor cleaner. No dullina residue

- Excellent choice for routine cleaning of dirt, grease and scuffs
- Environmentally safe

Squeaky[™] Ready-to-Use Hardwood Floor Cleaner



Cleaner for wood and laminate floors. Routine maintenance

- No dulling residue
- Excellent choice for routine cleaning of dirt, grease and scuffs
- Environmentally safe
- · Availabe in ready-to-use kit, 32 oz. trigger sprayers bottles or 1 aallon refill bottles

Hardwood Floor Refinisher	ltem #	Size
Water-Based Urethane Coating	B1830-1612	6 - 32 oz. Oval Bottles



Easy maintenance coat for wood floors.

- Easy to apply
- Revitalizes dull floors
- Durable water-based urethane coating
- Green, low VOC

Item # Size B0695-0412 4 - 1 Gal. Bottles B0695-0512 1 - 5 Gal. Pail

Item #

B1126-0119

B1126-0412 4 - 1 Gal. Bottles B1126-1612 6 - 32 oz. Oval w/ trigger

WOOD FLOOR

MAINTENANCE


Basic Coatings[®] provides ultimate

protection for your wood floor. Our

cleaning solutions provide professional

hardwood maintenance to keep your

floors looking their best.



Size

•1 - 32 fl. oz. Squeaky cleaner

6 - Floor Care Systems

Fach kit Includes

1 - complete mop

1 - microfiber pad

I.F.T. Intensive Floor Treatment

procedure.



Aggressive wood floor cleaner.

- Removes tough grit and grime
- Deep, intensive cleaning Removes household waxes, oils and polishes

TvKote[®] **Dust-Free Recoat Bonding Agent**



· Eliminates the dust, noise, and mess of traditional abrasion

- · Applies easy, dries in 1 hour

Dissolver™ Floor Polish Remover

Removes acrylic finish from wood floors.



Rinse free

- Low odor
- Low foaming

3 PROVEN SYSTEMS



• Repeat scrub with wood floor scrubber

• Apply Hardwood Floor Refinisher with a



SYSTEM 3

TYKOTE® RECOAT

A combination of the Intensive Cleaning step and a water-based floor finish. This system extracts dirt from the floor and then restores the floor with an extremely durable protective finish.

- Scrub with wood floor scrubber and I.F.T.
- · Repeat scrub with wood floor scrubber and Squeaky
- Apply TyKote[®] with a microfiber pad
- Top coat with a Basic Coatings[®] water-based finish

Item #	Size	
B1111-0412	4 - 1 Gal. Bottles	
B1111-0512	1 - 5 Gal. Pail	

Dust-free bonding agent prepares wood floors for recoating.

Excellent for use over aluminum-oxide, prefininished, or distressed wood floors



PROFESSIONAL HARDWOOD MAINTENANCE

TYKOTE® DUST-FREE REFINISHING SYSTEM



STEP 1

PREP & CLEAN



TyKote® is the revolutionary way to prepare wood floors for recoating. Its exclusive properties act as the bonding agent between the existing floor and the new topcoat.



Our innovative TyKote® System makes it easier to achieve beautiful floors in less time with no dust or mess. The fast and easy-to-use 3-step process means wood floors can be recoated overnight, and you can be back in business the next day.







I.F.T. provides unsurpassed cleaning

in heavily soiled areas. Squeaky™ is then used to remove residue and neutralize the floor.

STEP 2 BOND



STEP 3

FINISH

Basic Coatings StreetShoe[®] NXT, EasyStreet[™], Emulsion[®] PRO+, MainStreet®, or PureMatte® offer unmatched beauty and durability. The flexibility of the TyKote® System enables it to be used with any Basic Coatings water-based urethane finish.





BASIC COATINGS® SYSTEMS

PROTECTED NATURAL FLOORS

This system preserves the natural look of bare wood while protecting it with a high-end, durable matte finish.

RECOMMENDED USE

For natural looking, protected wood floors.

LIGHT COMMERCIAL & RESIDENTIAL DURABILITY

This system accents the natural wood tones with a crystal clear finish - from high gloss to low sheen.

RECOMMENDED USE

Light-traffic, commercial environments such as offices, classrooms, smaller retail stores, and private homes.

DEMANDING COMMERCIAL & HIGH-END RESIDENTIAL

This system provides the most outstanding performance, durability and beauty.

RECOMMENDED USE

High-traffic, commercial environments such as malls, restaurants, retail store and private homes.

TRADITIONAL FLOORS

Many home owners appreciate the traditional warm, rich amber tones of oil-based finish. This system is everything you expect from oil, but with the ease of application and high durability of a water-based coating.

RECOMMENDED USE

Residential, commercial and sport wood flooring.

TYKOTE[®] RECOATING SYSTEM

Unique to Basic Coatings[®], this "one-day recoating system" is ideal for jobs that require minimal downtime.

TRADITIONAL RECOATING SYSTEM

When screening and recoating is preferred, you can count on this system for dependable results.



WATER-BASED SYSTEMS

From daily maintenance to water-based stains and tints to natural-looking floors, Basic Coatings has water-based solutions for almost any look you are dreaming of for your hardwood floor, all protected with durable top coats.







www.basiccoatings.com | 800.441.1934 17



INNOVATIVE WATER AND OIL HYBRID STAINS

REGENCY SERIES









PRIMARY SERIES







For information go to basiccoatings.com/solutions/ hypertone-stains or call 888-441-1934 today!



HyperTone[™] Stains utilize a proprietary water/oil hybrid technology to deliver high-quality pigment of unmatched depth and vibrance, bringing out the beauty of hardwood floors in commercial, residential, and sports environments. This first-of-itskind formulation provides unrivaled color penetration, but with all the benefits of a water-based stain.

- Can be used as stain or tint
- Unlimited colors
- Reduced blotching
- Easy to apply
- Non-flammable
- Low odor

Coach

Easy to clean

DESIGNER SERIES













ADDITIVE / DRY TIME EXTENDER



Use up to 18 ounces of StainGlide per gallon to help extend dry time, blend and reduce lap marks. Highly recommended when using as a stain; do NOT use when using as a tint.

PRODUCT SELECTION GUIDE				
WATER-BASED FINISH	SHEEN	1 GALLON	5 GAL. PAIL	voc
PureMatte®	Commercial Matte	B1663-4312	N/A	<100
StreetShoe® NXT	Commercial Gloss	B1664-4312	B1664-0512	<150
	Commercial Semi-Gloss	B1665-4312	B1665-0512	
	Commercial Satin	B1666-4312	B1666-0512	
	Commercial Super Matte	B1667-4312	B1667-0512	
MainStreet®	Commercial Semi-Gloss	B1692-D612	N/A	<165
	Commercial Satin	B1693-D612	N/A	
	Commercial Super Matte	B1694-D612	N/A	
EasyStreet®	Commercial Gloss	B1655-4312	N/A	<275
	Commercial Semi-Gloss	B1656-4312	N/A	
	Commercial Satin	B1657-4312	B1657-0512	
	Commercial Super Matte	B1658-4312	N/A	1
Emulsion [®] PRO+	Commercial Gloss	B0675-4312	B0675-0512	<275
	Commercial Semi-Gloss	B1620-4312	B1620-0512	7
	Commercial Satin	B1619-4312	B1619-0512	7
	Commercial Super Matte	B1623-4312	N/A]
SPORT FINISH	SHEEN	1 GALLON	5 GAL. PAIL	voc
Player's Choice™ One	Commercial Gloss	B1659-4312	B1659-0512	<275
GymShoe®	Commercial Gloss	B1677-4312	B1677-0512	<275
StreetShoe [®] NXT	Commercial Gloss	B1659-4312	B1659-0512	<150
Emulsion [®] PRO+	Commercial Gloss	B0675-4312	B0675-0512	<275
WATER-BASED SEALER	SHEEN	1 GALLON	5 GAL. PAIL	voc
VersaSeal®	Commercial Gloss	B1691-D1612	N/A	<200
Lock 'N Seal™	Commercial Gloss	B0661-4312	N/A	<275
Hydroline [®] Sealer	Commercial Gloss	B0656-4312	B0656-0512	<275
Raw Sealer	Commercial Gloss	B1680-D612	N/A	<275
MAINTENANCE	QUART	1 GALLON	5 GAL. PAIL	voc
Squeaky [®] Concentrate	N/A	B0695-0412	B0695-0512	<4%
Squeaky [®] Ready-to-Use	B1126-1612	B1126-0412	N/A	<4%
Squeaky [®] Floor Care System	B1126-0119	N/A	N/A	<4%
I.F.T	N/A	B1111-0412	B1111-0512	<4%
SPECIALTY	QUART	1 GALLON	5 GAL. PAIL	voc
TyKote®	N/A	B0691-4312		<150
Dissolver™	N/A	B0541-0412		N/A
Harwood Floor Refinisher	B1830-1612	N/A	N/A	N/A

TRAINING

Basic Coatings offers a series of training classes at our training center in Bowling Green, OH. Basic Coatings also partners with the National Wood Floor Organization and holds several classes to help educate the next generation of wood floor professionals.

To view all of our training options, visit: basiccoatings.com/resources/training or call 888-441-1934 today!







©2024 Basic Coatings All Rights Reserved. 400 Van Camp Road Bowling Green, Ohio 43402 800-441-1934 basiccoatings.com Item #B91225-0112 | 04/24

For more information, contact your Basic Coatings[®] distributor, visit our website at www.basiccoatings.com or call us toll-free at 800-441-1934.

