

Look inside for MFMA approved products.



# **Rethinking Sports Floors**

# **Rethinking Sports Floors**

Basic Coatings® offers a complete range of sports floor systems. Whether you are looking for game-changing waterbased stains, sealers, and finishes, or simply trying to apply products faster while getting floors back into service quicker, we have solutions! If your sports floor is new, requires a sanding / staining facelift, or just needs an annual recoat, we offer systems that can provide the traditional look of oil or modern designs. Once completed, our line of cleaners and equipment are there to protect and prolong the life of your floor.

# HyperTone<sup>™</sup> Stains and Tints

- Proprietary water/oil hybrid technology
- Low odor
- · Non-flammable; stain rags of this product will not spontaneously combust
- · Easy to apply; easy to clean up
- Fast drying
- · Excellent for maple, oak, and all wood floor species
- · Available in 14 standard colors; including primary colors
- · Can be mixed and matched for custom colors
- · Can be used as tints in approved Basic Coatings waterbased finishes
- · Available in Gallons and/or Pints



HyperTone<sup>™</sup> Stains apply beautifully on maple gym floors and our primary colors (Blue, Red, Yellow) provides for endless color options.



application. Recommended for drier conditions and with heavier pigmented colors. (Use up to 18 ounces per gallon.)





#### **DESIGNER COLORS:**



B1900-D612:

B1900-E812

Neutral B1901-D612: B1901-E812

**PRIMARY COLORS:** 



Deep Red B1910-D612;

B1910-F812

Amber Oak B1903-D612: B1903-E812



B1904-D612; B1904-E812



Onyx B1905-D612; B1905-E812

Slate

B1902-D612;

B1902-E812



Hickorv B1906-D612; B1906-E812





Provincial B1912-D612: B1912-E812



Tobacco B1913-D612; B1913-E812

Any of the HyperTone Stains can be mixed to create a custom and endless color palette.

White B1911-D612: B1911-E812



B1907-D612:

B1907-E812



B1909-E812



# Waterbased Sport Sealers



### VersaSeal™

Premium, Clear, One-Component Waterbased Sealer

B1691-D612 (2 - 1 Gal.); B1691-0512 (5 Gal. Pail)

Coverage: 450 - 550 sq.ft./gal.

- Clear, non-yellowing
- · Fast drying (2 3 hours); less downtime
- VOC compliant; less than 275 VOCs per gallon
- · Commercial / Sport Sealer



### Emulsion<sup>®</sup> PRO+

Advanced, One-Component, Oil and Water Wood Floor Sealer and Finish

#### B0675-4312 (4 - 1 Gal.); B0675-0512 (5 Gal. Pail)

Coverage: 500 - 600 sq.ft./gal.

- · Ambering urethane
- · Fast drying (2 3 hours); less downtime
- VOC compliant; less than 275 VOCs per gallon
- Commercial / Sport Gloss Sealer / Finish



### Hydroline<sup>®</sup> Sealer

High Quality, One Component, Waterbased Wood Floor Sealer

#### B0656-4312 (4 - 1 Gal.); B0656-0512 (5 Gal. Pail)

Coverage: 500 - 600 sq.ft./gal.

- $\cdot$  Clear, non-yellowing
- · Fast drying (2 3 hours); less downtime
- $\cdot$  VOC compliant; less than 275 VOCs per gallon
- · Commercial / Sport Sealer

# Waterbased Finish Technology



### StreetShoe® NXT

Premium, 2-Component, Waterbased Sports Floor Finish

#### B1664-4312 (4 - 1 Gal.); B1664-0512 (5 Gal. Pail)

Coverage: 500 - 600 sq.ft./gal

- $\cdot$  Clear, non-yellowing urethane
- · 24 hour pot life (once catalyst is mixed in)
- · Fastest curing; 90% cured in 24 hrs
- Hardest, most durable, chemical resistant, UV inhibitor
- · Commercial / Sport Gloss



### **GymShoe**<sup>®</sup>

Advanced, 2-Component, Waterbased Sports Floor Finish

#### B1677-0512 (5 Gal. Pail)

Coverage: 500 - 600 sq.ft./gal

- $\cdot$  Clear, non-yellowing urethane
- · 24 hour pot life (once catalyst is mixed in)
- Super shiny, resists heel marks
- Commercial / Sport Gloss



# Player's Choice<sup>™</sup> One

High-End, One Component, Waterbased Sports Floor Finish

#### B1659-4312 (4 - 1 Gal.); B1664-0512 (5 Gal. Pail)

- Coverage: 500 600 sq.ft./gal
- · Clear, non-yellowing urethane
- $\cdot$  12 month shelf / pot life
- $\cdot\,$  Best in class hardness and abrasion resistance
- Commercial / Sport Gloss

Please refer to Technical Data Sheets for complete product information.

MFMA Compliant Finish

# Maintenance & Refinishing

In addition to routine maintenance products, the TyKote® Dust-Free Refinishing System is the only true dust-free recoating process. TyKote serves as a bonding enhancing agent between the existing finish and the top coat to give you confidence that your floor will perform. This easy and proven 3-step system will get your customers back on their floor faster without the mess of traditional methods.

- Easy, proven 3-step process
- Less prep and clean-up
- Fast: Recoat today, play tomorrow
- Dust free





### I.F.T.

Intensive Floor Treatment

B1111-4312 (4 - 1 Gal.); B1111-0512 (5 Gal. Pail)

- $\cdot\,$  Deep, intensive cleaning
- $\cdot\,$  Removes built-up residues and contaminants



### Squeaky™

Commercial Floor Cleaner

#### B0695-4312 (4 - 1 Gal.); B0695-0512 (5 Gal. Pail)

- No dulling residue; streak-free formula
- Excellent choice for routine/daily cleaning of dirt, grease and scuffs

# TyKote®

Dust Free Recoat Bonding Agent

#### B0691-4312 (4 - 1 Gal.)

- Fast; recoat today, back in business tomorrow
- Eliminates the dust, noise and mess of traditional methods

Please refer to Technical Data Sheets for complete product information.

# **Instructional Videos**



**Routine Maintenance** 



TyKote<sup>®</sup> Refinishing



Scrub & Recoat



Screen & Recoat

(in)

For more information, contact your Basic Coatings distributor. Visit our website at www.basiccoatings.com or call us toll-free at 800-441-1934.



©2023 Basic Coatings All Rights Reserved. 400 Van Camp Road Bowling Green, Ohio 43402 800-441-1934 | basiccoatings.com Item #B9120-9212 | 03/23